

Architectural Wall Panel Engineering Catalog

Factory-direct engineered wall panel, grille, trim and flooring systems for luxury hotel and resort fit-out. Technical data, FOB price bands, MOQ and production lead time for every series.

7

PRODUCT SERIES

556

AVAILABLE SKUS

7d

FASTEST LEAD TIME

200–500

MOQ (SQM)

CONTENTS

Product series index

Seven engineered series covering wall cladding, acoustic grilles, architectural metal trims, flooring and lightweight stone systems. All figures are factory FOB and subject to final shop-drawing confirmation.

01	WPC Wall Panel	141 SKUs
02	SPC Wall Panel	67 SKUs
03	PVC Grille	112 SKUs
04	Metal Trim System	141 SKUs
05	SPC Flooring	27 SKUs
06	PE Outdoor Decking & Grille	35 SKUs
07	Soft Stone Series	33 SKUs
—	Certifications & Compliance	7 accreditations
—	Ordering & Project Quotation	RFQ terms

How to read this catalog. Dimensions, densities and compositions below are taken directly from our production specification for each series. Fire and emission classifications follow the accredited test reports issued for the relevant series — refer to the certifications page for the full list. Prices are FOB China and exclude ocean freight, duty and destination port charges.

Need a project quotation with drawings?

Send your architectural drawings or BOQ. We reply with a shop-drawing estimate, material schedule and FOB / CIF / DDP pricing.

- Request Project Estimation
- WhatsApp +86 181 2711 0219

TECHNICAL DATA

Product series specifications

Factory FOB specification for each series.

01

WPC Wall Panel

WPC 墙板 · 141 SKUs

Series code	WPC Wall Panel / WPC 墙板
Available SKUs	141
Core material	Carbon-crystal composite core / Bamboo-crystal composite core
Standard size	1220 × 2440 / 2600 / 2900 mm
Thickness	5.0 / 8.0 mm
Density	0.65 / 0.75 g/cm ³
Composition	PVC resin powder + activated calcium carbonate + bamboo charcoal / wood fibre
FOB price band	\$4.81 – \$6.50/sqm
MOQ	200 sqm
Production lead time	7 days
Sound absorption	NRC 0.55 (tested per series)

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

View series →

Request quotation

Series code	SPC Wall Panel / SPC 墙板
Available SKUs	67
Core material	Stone-crystal composite core
Standard size	1220 × 2440 / 2600 / 2900 mm
Thickness	2.0 / 3.0 / 4.0 mm
Density	2.05 g/cm ³
Composition	PVC resin powder + activated calcium carbonate + PVC processing aid
FOB price band	\$5.64 – \$7.20/sqm
MOQ	200 sqm
Production lead time	7 days

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

Series code	PVC Grille / PVC 格栅
Available SKUs	112
Core material	WPC slat board
Standard size	Width 100-200 × Length 2900/3000 mm
Thickness	8-20 mm
Density	0.80 g/cm ³
Composition	PVC resin powder + activated calcium carbonate + bamboo-wood fibre
FOB price band	\$4.20 – \$5.50/sqm
MOQ	200 sqm
Production lead time	25 days
Sound absorption	NRC 0.55 (tested per series)

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

View series →

Request quotation

Series code	Metal Trim System / 金属配件系统
Available SKUs	141
Core material	Extruded aluminium
Standard size	Type 5501, 5 mm edge trim
Thickness	5 mm
Density	Per technical drawing
Composition	Aluminium alloy + multi-colour powder coat (matte black / matte gold / rose gold / graphite)
FOB price band	\$6.67 – \$10.56/m
MOQ	200 sqm / 500 m
Production lead time	20 days

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

[View series →](#)

[Request quotation](#)

05

SPC Flooring

SPC 地板 · 27 SKUs

Series code	SPC Flooring / SPC 地板
Available SKUs	27
Core material	Stone-crystal composite
Standard size	Standard 1220 × 180/230 mm
Thickness	4-6 mm
Density	1.90 g/cm ³
Composition	PVC resin powder + activated calcium carbonate + UV coating
FOB price band	\$4.50 – \$6.80/sqm
MOQ	500 sqm
Production lead time	25 days

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

[View series →](#)[Request quotation](#)

06

PE Outdoor Decking & Grille

PE 户外地板 & PE 格栅 · 35 SKUs

Series code	PE Outdoor Decking & Grille / PE 户外地板 & PE 格栅
Available SKUs	35
Core material	Polyethylene
Standard size	Multiple sizes available
Thickness	25-30 mm
Density	Per technical drawing
Composition	Polyethylene + UV stabiliser
FOB price band	\$8.50 – \$15.00/sqm
MOQ	200 sqm
Production lead time	7 days

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

[View series →](#)[Request quotation](#)

Series code	Soft Stone Series / 软石系列
Available SKUs	33
Core material	Cast concrete / Square-line stone / Vein stone / Star-moon stone
Standard size	Per sub-type (see below)
Thickness	Per technical drawing
Density	Per technical drawing
Composition	See technical datasheet
FOB price band	\$50.00 – \$94.00/sqm
MOQ	50 sqm
Production lead time	35 days

SUB-TYPES

SUB-TYPE	SIZE	THICKNESS	COLOUR RANGE
Concrete Board 水泥浇筑板	3040×1180mm	3-5mm	纯白/米白/浅灰/中灰
Square Line Stone 阡陌石	2780×600/2780×1200mm	2-7mm	米白/深灰
Round Line Stone 脉络石	2780×1200/3000×1200mm	2-8mm	米白/深灰
Starmoon Stone 星月石	3180×1160mm	3-13mm	米白/黄/深灰

Typical applications: Hotel, Hospital, Office, Commercial, Apartment

View series →

Request quotation

COMPLIANCE

Certifications & accredited test data

Accreditations held by the manufacturing operation. Full test reports are issued on request and are supplied with the shop-drawing package for each project.

STANDARD	SCOPE	MARKET
ASTM E84	Class-A Flame Spread	North America
EN 13501-1	B-s1, d0 Reaction to Fire	Europe
CARB Phase 2	Formaldehyde Emission	California, USA
ISO 22196	Antimicrobial Efficacy	Healthcare / Wet Areas
GREENGUARD	Low Chemical Emissions	Indoor Air Quality
ISO 9001	Quality Management System	Manufacturing
BSCI	Social Compliance Audit	Factory Social Audit

Test report availability. Certified fire, acoustic and antimicrobial test reports are third-party issued documents. They are provided under a mutual non-disclosure agreement together with the project shop-drawing package — they are not published as open downloads. Contact us with your project reference and the applicable series to receive the current report set.

Acoustic performance is series-specific

Sound absorption values are tested per series and are stated on the relevant series page rather than as a single site-wide figure. Confirm the tested NRC against your project specification and the substrate build-up before ordering.

- Read the FAQ
- Ask for test reports

TERMS

Ordering & project quotation

TERM	DETAIL
Minimum order quantity	200 sqm per SKU (500 sqm for flooring series, 50 sqm for soft stone, 500 m for metal trim)
Production lead time	7 to 35 days depending on series; confirmed on order acknowledgement
Incoterms	FOB China (Foshan / Shenzhen / Ningbo / Qingdao), CIF or DDP on request
Payment	T/T 30% deposit, balance against copy B/L; L/C at sight for project orders
Packing	Export-grade fumigated timber crates with foam edge protection and shrink wrap, 40ft container loading
Sample	Free material swatch kit dispatched worldwide by DHL
Custom sizes	Available on request — submit the shop drawing or panel schedule

Project enquiry — 24-hour response

Please include project location, wall surface area in sqm, fire rating requirement and preferred delivery term.

WHATSAPP

+86 181 2711 0219

EMAIL

enisfactoryck@gmail.com

ONLINE RFQ

hotelwallpanel.com/contact

RFQ LIST BUILDER

Add SKUs to your RFQ list